

	Injectable (and intranasal- IN) generic ¹	Intranasal branded ²	Injectable generic ³	Injectable generic	Auto-injector branded
Brand name		Narcan Nasal Spray			Evzio Auto-Injector
Product comparison					
					
FDA approved Labeling includes instructions for layperson use	X (for IV, IM, SC)	X X	X	X	X X
Layperson experience	X		X		X
Assembly required	X		X	X	
Fragile	X				
Can titrate dose	X		X	X	
Strength	1 mg/mL	4 mg/0.1 mL	0.4 mg/mL OR 4 mg/10 mL	0.4 mg/mL	0.4 mg/0.4mL
Total volume of kit/package	4 mg/4 mL	8 mg/ 0.2 mL	0.8 mg/2 mL OR 4 mg/10 mL	0.8 mg/2 mL	0.8 mg/0.8 mL
Storage requirements (All protect from light)	Store at 59-86 °F Fragile: Glass.	Store at 59-77 °F Excursions from 39-104 °F	Store at 68-77 °F Breakable: Glass.	Store at 68-77 °F Breakable: Glass.	Store at 59-77 °F Excursions from 39-104 °F
Cost/kit⁴	\$\$	\$\$	\$	\$	\$\$\$ ⁵
Prescription variation					
Refills	Two	Two	Two	Two	Two

	Injectable (and intranasal- IN) generic ¹		Intranasal branded ²	Injectable generic ³	Injectable generic	Auto-injector branded
Rx and quantity	#2 2 mL Luer-Jet™ Luer-Lock needleless syringe plus #2 mucosal atomizer devices (MAD-300)		#1 two-pack of two 4 mg/0.1 mL intranasal devices	#2 single-use 1 mL vials OR #1 10mL multidose vial PLUS #2 3 mL syringe w/ 23-25 gauge 1-1.5 inch IM needles	#2 single-use 1 ml vials PLUS #2 3 mL syringe w/ 23-25 gauge 1-1.5 inch IM needles	#1 two-pack of two 0.4 mg/0.4 mL prefilled auto-injector devices
Sig. (for suspected opioid overdose)	Spray 1 ml (1/2 of syringe) into each nostril. Repeat after 2-3 minutes if no or minimal response.		Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 2-3 minutes if no or minimal response.	Inject 1 mL in shoulder or thigh. Repeat after 2-3 minutes if no or minimal response.	Inject 1 mL in shoulder or thigh. Repeat after 2-3 minutes if no or minimal response.	Inject into outer thigh as directed by English voice-prompt system. Place black side firmly on outer thigh and depress and hold for 5 seconds. Repeat with second device in 2-3 minutes if no or minimal response.
Ordering information						
How supplied	Box of 10 Luer-Jet™ prefilled glass syringes		Two-pack of single use intranasal devices	Box of 10 single-dose fliptop vials (1 ml) OR Case of 25 multi-dose fliptop vials (10 ml)	Box of 10 single-dose fliptop vials	Two pack of single use auto-injectors + 1 trainer
Manufacturer	IMS/ Amphastar	Teleflex (IN adapter)	Adapt Pharma	Hospira	Mylan	kaléo
Web address	Amphastar.com	Teleflex.com	Narcannasalspray.com	Hospira.com	Mylan.com	Evzio.com
Customer service	800-423-4136	866-246-6990	844-462-7226	877-946-7747	724-514-1800	855-773-8946
NDC	76329-3369-01	DME- no NDC	69547-353-02	00409-1215-01 (1 ml) 00409-1219-01 (10 ml)	67457-0292-02	60842-030-01
<p>¹ IMS/Amphastar has an additional naloxone product, which is not recommended for layperson and take-home naloxone use because it is too strong of a dose by injection only for laypersons. (Naloxone HCl Injection, USP, 2mg/2mL Min-I-Jet Prefilled syringe with 21 Gauge and 1 ½" fixed Needle NDC # 76329-1469-1 (10 pack) and 76329-1469-5 (25 pack))</p> <p>² As of 1/12/16, Narcan Nasal Spray has been approved by the FDA, but is not yet publicly available.</p> <p>³ Hospira has an additional naloxone product, which is not recommended for layperson and take-home naloxone use because it is complicated to assemble. (Naloxone Hydrochloride Injection, USP, 0.4 mg/mL Carpuject™ Luer Lock Glass Syringe (no needle) NDC# 0409-1782-69)</p> <p>⁴ There is considerable price variance for each product- local pharmacists are able to provide specific local pricing.</p> <p>⁵ Product and co-pay coupons are available- visit manufacturer website for more information.</p>						
				Image development supported by 1R01DA038082-01 Friedmann/Rich		