

	Injectable			One-step Nasal						
	Generic			Branded	Over-the-Counter			Single step		
Brand name	Generic injectable	Generic luer-lock for injectable or nasal		Zimhi Injection	ReVive Nasal Spray	Narcan Nasal Spray	Amneal Nasal Spray	Generic nasal	Kloxxado Nasal Spray	Opvee Nasal Spray
Image										
Assembly required	X	X	X							
Can titrate dose	X	X	X							
Concentration	Naloxone 0.4 mg/mL	Naloxone 1 mg/mL	Naloxone 1 mg/mL	Naloxone 5 mg/0.5 mL	Naloxone 3mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 8mg/0.1mL	Nalmafene 0.27mg/0.1mL
Cost/kit ¹	\$	\$\$	\$	\$\$\$	\$	\$		\$\$	\$\$\$	\$\$
Rx and quantity	#2 single-use 1 mL vials PLUS #2 3 mL syringe w/ 23-25G 1-1.5 inch IM needles	#2 Prefilled syringe PLUS 23-25G x 1-1.5 inch IM needle or PLUS LMA™ Intranasal Mucosal Atomization Device.	#2 Prefilled syringe PLUS 21G x 1.5 inch IM needle or PLUS LMA™ Intranasal Mucosal Atomization Device.	#1 single-use prefilled syringe	#1 two-pack intranasal devices	#1 two-pack intranasal devices	#1 two-pack intranasal devices	#1 two-pack intranasal devices	#2 single-use intranasal device	One-pack of two intranasal devices
Sig. (let it be labeled) for suspected opioid overdose.	Inject 1 mL in shoulder or thigh. Repeat after 2- 3 minutes if no or minimal response	For IM: Inject 0.4mL in thigh or upper muscle. Repeat after 3 minutes if no or minimal response. For IN: Spray 1mL in each nostril. Repeat after 3 minutes if no or minimal response.	For IM: Inject 0.4mL in thigh or upper muscle. Repeat after 3 minutes if no or minimal response. For IN: Spray 1mL in each nostril. Repeat after 3 minutes if no or minimal response.	Inject 0.5mL into upper thigh. Repeat with new prefilled syringe after 3 minutes if no or minimal response.	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response.	Spray 0.1mL into one nostril. Repeat with second device into other nostril after 5 minutes if no or minimal response.
Storage requirements (All protect from light)	Store at 68-77 °F	Store at 59-86 °F	Store at 68-77°F	Store at 68-77°F Excursions from 59-86°F	Store at 68-77°F	Store at 59-77 °F Excursions from 39 - 104 °F	store at room temperature or refrigerated, between 2°C to 25°C (36°F to 77°F)	Store at 59-77 °F Excursions from 39-104 °F	Store at 60-77 °F Excursions from 41-104 °F	Store at 59°-77°F
How supplied	10 or package of 25 single-dose flip-top vials (1 ml)	10 prefilled syringes, 21G. x 1.5” needles. Order separately -	10 prefilled syringes, Order separately - LMA™ Intranasal Mucosal Atomization Device	Case containing one single-dose prefilled syringe (1) OR carton containing two cases each	Two-pack of single use intranasal devices	Two-pack of single use intranasal devices	Case qty/min. order quantity 24	Two-pack of single use intranasal devices	Two-pack single use intranasal devices	Two-pack single use intranasal devices

	Injectable				One-step Nasal					
	Generic			Branded	Over-the-Counter			Single step		
		LMA™ Intranasal Mucosal Atomization Device	OR 21G. x 1.5” needles	containing one prefilled syringe (2)						
Manufacturer	Multiple (see below)	Naloxone: Amphastar Pharmaceuticals Company Intranasal atomizers: Teleflex	Hikma Pharmaceuticals USA Inc.	Adamis Pharmaceuticals Corporation	Harm Reduction Therapeutics	Adapt Pharma	Amneal	Teva	Hikma Specialty USA, Inc.	Indivior Inc
Web address	Remedyallianceftp.org (R) Pfizerinjectables.com (P) Viatrix.com (V) Hikma.com (H) Aurobindo.com (A) Somersetpharma.com (S)	amphastar.com	2024 hikma-us-injectable catalog.pdf	Zimhi.com	rivive.com	Narcan.com	amneal.com	Tevanaloxone.com	Kloxxado.com	opvee.com
Customer service	510-356-4496 (R) 877-946-7747 (P) 724-514-1800 (V) 800-631-2174 (H) 866-850-2676 (A) 732-554-1100 (S)	1-800-423-4136 (Option 2)	1-877-845-0689	866-750-8796	888-412-7454 www.harmreductiontherapeutics.org.	844-462-7226	877-835-5472 (Option 3)	888-838-2872	877-259-6893	1-877-782-6966
NDC	00641-6260-25 (R) 00409-1215-01 (P) 67457-292-02 (V) 0641-6132-25 (H) 55150-0345-10 (A) 70069-071-10 (S)	76329-3369-1 76329-1469-1	0641-6205-10	78670-140-11 (1) 78670-140-02 (2)	8295-4100-01	69547-353-02 69547-212-04	69238-2104-07	0093-2165-19 0093-2165-68	59467-679-01	12496-0003