












	Injectable			Single Step Nasal							
	Generic			Branded	Over-the-Counter			Prescription			
Brand name	Generic injectable	Generic luer-lock for injectable or nasal		Zimhi Injection	ReVive Nasal Spray	Narcan Nasal Spray	Padagis	Amneal Nasal Spray	Generic nasal	Kloxxado Nasal Spray	Opvee Nasal Spray
Image											
Assembly required	X	X	X								
Can titrate dose	X	X	X								
Concentration	Naloxone 0.4 mg/mL	Naloxone 1 mg/mL	Naloxone 1 mg/mL	Naloxone 5 mg/0.5 mL	Naloxone 3mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 4 mg/0.1 mL	Naloxone 8mg/0.1mL	Nalmefene 0.27mg/0.1mL
Cost/kit ¹	\$	\$\$	\$	\$\$\$ (141)	\$36	\$45	\$34		\$\$	\$\$\$ (141.13)	\$\$\$ (113)
Rx and quantity	#2 single-use 1 mL vials PLUS #2 3 mL syringe w/ 23-25G 1-1.5 inch IM needles	#2 Prefilled syringe PLUS 23-25G x 1-1.5 inch IM needle or PLUS LMA™ Intranasal Mucosal Atomization Device.	#2 Prefilled syringe PLUS 21G x 1.5 inch IM needle or PLUS LMA™ Intranasal Mucosal Atomization Device.	#1 single-use prefilled syringe	#1 two-pack intranasal devices	#1 two-pack intranasal devices	2 vial, single-dose in 1 carton	#1 two-pack intranasal devices	#1 two-pack intranasal devices	#2 single-use intranasal device	One-pack of two intranasal devices
Sig. (let it be labeled) for suspected opioid overdose.	Inject 1 mL in shoulder or thigh. Repeat after 2- 3 minutes if no or minimal response	For IM: Inject 0.4mL in thigh or upper muscle. Repeat after 3 minutes if no or minimal response. For IN: Spray 1mL in each nostril. Repeat after 3 minutes if no or minimal response.	For IM: Inject 0.4mL in thigh or upper muscle. Repeat after 3 minutes if no or minimal response. For IN: Spray 1mL in each nostril. Repeat after 3 minutes if no or minimal response.	Inject 0.5mL into upper thigh. Repeat with new prefilled syringe after 3 minutes if no or minimal response.	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1 mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response	Spray 0.1mL into one nostril. Repeat with second device into other nostril after 3 minutes if no or minimal response.	Spray 0.1mL into one nostril. Repeat with second device into other nostril after 5 minutes if no or minimal response.
Storage requirements (All protect from light)	Store at 68 - 77 °F	Store at 59-86 °F	Store at 68-77°F	Store at 68-77°F Excursions from 59-86°F	Store at 68-77°F	Store at 59-77 °F Excursions from 39 - 104 °F	store at room temp. or refrigerate, between 2°C to 25°C (36°F to 77°F)	store at room temp. or refrigerate, between 2°C to 25°C (36°F to 77°F)	Store at 59-77 °F Excursions from 39-104 °F	Store at 60-77 °F Excursions from 41-104 °F	Store at 59°-77°F

	Injectable				Single Step Nasal						
	Generic		Branded	Over-the-Counter				Prescription			
How supplied	10 or package of 25 single-dose fliptop vials (1 ml)	10 prefilled syringes, 21G. x 1.5" needles. Order separately - LMA™ Intranasal Mucosal Atomization Device	10 prefilled syringes, Order separately - LMA™ Intranasal Mucosal Atomization Device OR 21G. x 1.5" needles	Case containing one single-dose prefilled syringe (1) OR carton containing two cases each containing one prefilled syringe (2)	Two-pack of single use intranasal devices	Two-pack of single use intranasal devices	Two-pack of single use intranasal devices	Case qty/min. order quantity 24	Two-pack of single use intranasal devices	Two-pack single use intranasal devices	Two-pack single use intranasal devices
Manufacturer	Multiple	Naloxone: Amphastar Pharmaceuticals Company Intranasal atomizers: Teleflex	Hikma Pharmaceutical USA Inc. Intranasal atomizers: Teleflex	Adamis Pharmaceuticals Corporation	Harm Reduction Therapeutics	Adapt Pharma	Padagis Israel Pharmaceutical s Ltd	Amneal	Teva	Hikma Specialty USA, Inc.	Indivior Inc
Web address	Remedyallianceftpt.org (R) Pfizerinjectables.com (P) Viatrix.com (V) Hikma.com (H) Aurobindo.com (A) Somersetpharma.com (S)	amphastar.com	2024 hikma-us-injectable-catalog.pdf	Zimhi.com	rivive.com	Narcan.com	padagis.com	amneal.com	Tevanaloxone.com	Kloxxado.com	opvee.com
Customer service	510-356-4496 (R) 877-946-7747 (P) 724-514-1800 (V) 800-631-2174 (H) 866-850-2676 (A) 732-554-1100 (S)	1-800-423-4136 (Option 2)	1-877-845-0689	866-750-8796	888-412-7454 www.harmreductiontherapeutics.org.	844-462-7226	(866) 634-9120 (800) 775-2054	877-835-5472 (Option 3)	888-838-2872	877-259-6893	1-877-782-6966
NDC	00641-6260-25 (R) 00409-1215-01 (P) 67457-292-02 (V) 0641-6132-25 (H) 55150-0345-10 (A) 70069-071-10 (S)	76329-3369-1 76329-1469-1	0641-6205-10	78670-140-11 (1) 78670-140-02 (2)	8295-4100-01	69547-353-02 69547-212-04	45802-578	69238-2104-07	0093-2165-19 0093-2165-68	59467-679-01	12496-0003